

**Section 1 - Identification of the Substance/Preparation and of the Company/Undertaking**

Product Name: Rose Klar UV Gel MSDS# KIG031703-PGC  
 Chemical Name: N/A MSDS Approval Date: 11/29/2000 MSDS Prepared by: BSQ

Family: UV GELS GEL Type: TYPE 1 Manufacturer: ABC International Sp. z o.o.  
 Product Use: NAIL GEL u l. Odolańska 10 Warszawa 02-560  
Product #: various Emergency Phone Numbers: (0048)42 631 47 24  
Information Contacts: (0048)228800455

**Section 2 - Composition/Information on Ingredients**

Chemical Identity	CAS#	EINECS#	INCI (or other substance) Name	Exposure	Limits	Carcinogen	%
				OSHA TWA/STEL	ACGIH TWA/STEL IARC/NTP/OSHA		
Polyurethane Acrylate Oligomer	Exempt	N/E	Polyurethane Acrylate Oligomer	N/E	N/E	Not Listed	>70
Hydroxycyclohexyl phenyl ketone	947-19-3	213-426-9	Hydroxycyclohexyl phenyl ketone	N/E	N/E	Not Listed	<5
Benzophenone	119-61-9	204-337-6	Benzophenone	N/E	N/E	Not Listed	<1
D&C Violet #2	81-48-1	201-353-5	Violet 2/CI60725	N/E	N/E	Not Listed	<1
D&C Red #7	5281-04-9	226-109-5	Red 7/CI15850	N/E	N/E	Not Listed	<1
N/E - None Established	N/DA - No Data Available						
N/R - Not Reviewed	N/A - Not Applicable						

Hazard Symbols: n/da  
 Risk Phrases: R20  
 Safety Phrases: S24/25, S28A, S37, S45

**Section 3 - Hazards Identification**

**EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause eye irritation.

Potential Health Effects, Signs and Symptoms of Exposure:  
 Primary Route of Entry: No specific information available.  
 Eye: No specific information available. Contains materials that are essentially nonirritating, but contact may cause slight transient irritation.  
 Skin: No specific information available. Contains materials that may cause moderate skin injury (reddening and swelling) and/or sensitization. Prolonged contact may cause blister formation (burns). Since irritation may not occur immediately, contact can go unnoticed.  
 Ingestion: No specific information available. Contains materials that are considered to be practically nontoxic.  
 Inhalation: No specific information available. Low volatility makes vapor inhalation unlikely. Aerosol can be irritating.  
 Sub-Chronic Effects: No specific information available. Limited tests showed no evidence of teratogenicity in animals. A lifetime skin painting study with mice showed no evidence of carcinogenicity.

NOTE: Refer to Section 11, Toxicological Information for Details

**Section 4 - First Aid Measures**

**Material Safety Data Sheet**

**Rose Klar Gel UV**

First Aid for Eye Flush eyes with water for 15 minutes, including under eyelids. If irritation continues, seek medical attention.

First Aid for Skin Remove contaminated clothing and wash contact area with soap and water for 15 minutes.

First Aid for Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.

First Aid for Ingestion If appreciable quantities are swallowed, seek medical attention.

**Section 5 - Fire Fighting Measures**

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
> 212°F/100sC Setaflash	No Data	No Data

Method:

Extinguishing Media: Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.

Fire Fighting Instructions: Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

Unusual Hazards: High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

**Section 6 - Accidental Release Measures**

Spill or Release Procedures - Spontaneous polymerization can occur. Although material is non-flammable please try to eliminate all ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal container. Wash spill area with strong detergent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.

**Section 7 - Handling and Storage**

Handling Ground and bond containers when transferring material. Avoid contact with skin and eyes, and clothing. Use with adequate ventilation and avoid breathing in vapor. Keep container closed when not in use. Avoid contact with heat, sparks and flame. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks, or open flames. Material is UV light sensitive, avoid prolonged exposure to light/heat.

Storage Keep away from heat, sparks, and flame. Store in a tightly closed container. Store in a cool, dry, well-ventilated place, away from any type of light. Store at temperatures below 100°F/38°C.

Explosion Hazard High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers.

**Section 8 - Exposure Controls / Personal Protective Equipment**

Engineering Controls Local exhaust recommended to control exposure which may result from operations generating aerosols and hot operations generating vapors.

**Personal Protective Equipment**

**General** To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

**Eye/ Face Protection** Wear chemical splash goggles.

**Skin Protection** Wear impervious gloves (Neoprene).

**Respiratory Protection** A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

**Section 9 - Physical and Chemical Properties**

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile
Lt Pink, mobile liquid	characteristic acrylate odor	NA	(H2O=1) : 1.15	N/DA	By Volume: < 0.5

Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	(mm Hg) @ 20°C: < 0.01	No Data	No Data	No Data	Insoluble

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
> 212°F/100°C Setaflash	No Data	No Data

**Section 10 - Stability and Reactivity**

<p><b>Stability</b> Normally Stable</p> <p><b>Hazardous Decomposition Products:</b> Fumes produced when heated to decomposition may include: carbon monoxide, carbon dioxide.</p> <p><b>Conditions to Avoid:</b> Storage &gt; 100 ° F , exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials.</p>	<p><b>Incompatibility (Materials to Avoid):</b> Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron ,rust and string bases.</p> <p><b>Hazardous Polymerization:</b> May occur -- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.</p>
--	---

**Section 11 - Toxicological Information**

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
No information available	No information available	No information available	No information available	No information available

Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA	N/DA	N/DA

**Section 12 - Ecological Information**

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

**Section 13 - Disposable Considerations**

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations.

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

**Section 14 - Transport Information**

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	Flash point > 100sC

**Section 15 - Regulatory Information**

US Federal Regulations

Clean Air Act: HAP/ODS	<p>This product contains the following hazardous air pollutants (HAP), as defined by the U. S. Clean Air Act:</p> <ul style="list-style-type: none"> <li>• Benzophenone, CAS #119-61-9 (SOCMI)</li> </ul> <p>This product does not contain any Class1 or Class 2 ODS.</p>
------------------------	---

**Material Safety Data Sheet**

**Rose Klar Gel UV**

Clean Water Act: Priority Pollutant	This product contains the following Hazardous Substances as defined by the CWA: <ul style="list-style-type: none"> <li>• NONE</li> </ul> This product does not contain any substances that are a Priority Pollutant or Toxic Pollutant under the CWA.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard</li> <li>• Delayed (chronic) health hazard</li> <li>• Reactive hazard</li> </ul>
RCRA	This product contains the following RCRA codes under EPA's Resource, Conservation, and Recovery Act (40 CFR Part 261): <ul style="list-style-type: none"> <li>• NONE</li> </ul>
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances that carry a TPQ.
SARA Title III: Section 302 (RQ)	This product contains the following chemicals regulated under Section 304 as extremely hazardous chemical for emergency release notification ("CERCLA" List): <ul style="list-style-type: none"> <li>• NONE</li> </ul>
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard</li> <li>• Delayed (chronic) health hazard</li> <li>• Reactive hazard</li> </ul>
SARA Title III: Section 313:	This product contains the following chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: <ul style="list-style-type: none"> <li>• NONE</li> </ul>
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals listed have a SNUR under TSCA.

**State Regulations**

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law	Benzophenone CAS #119-61-9


**International Regulations**

CDSL: Canadian Inventory (on Canadian Transitional List)	Benzophenone CAS #119-61-9 is on the DSL List. WHMIS = n/da Hydroxycyclohexyl phenyl ketone CAS# 947-19-3 is on the DSL list. WHMIS = n/da
--	---

EINECS: European Inventory:	Pink Builder Gel <ul style="list-style-type: none"> <li>• Hazard Symbol (n/da)</li> <li>• Risk Phrases: R20: Harmful by inhalation</li> <li>• Safety Phrases: S24/25: Avoid contact with skin and eyes, S28A: After contact with skin, wash immediately with plenty of water, S37: Wear suitable protective gloves, S45: In case of accident, or if you feel unwell, seek medical advise immediately (show the label where possible)</li> </ul>
-----------------------------	---

**Section 16 - Other Information**

Hazard Rating System (Pictograms)

<p>NFPA:</p> <div style="display: flex; align-items: center; justify-content: center;"> <div style="text-align: center;">  </div> <div style="margin-left: 20px;"> <p>← Flammability</p> <p>← Reactivity</p> </div> </div> <p>Health →</p>	<p>HMIS:</p> <div style="border: 1px solid black; padding: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; border: 1px solid black; border-radius: 50%; width: 30px;">2</td> <td style="background-color: #4a86e8; color: white; padding: 5px;"><b>Health</b></td> </tr> <tr> <td style="text-align: center; border: 1px solid black; border-radius: 50%;">1</td> <td style="background-color: #e53935; color: white; padding: 5px;"><b>Flammability</b></td> </tr> <tr> <td style="text-align: center; border: 1px solid black; border-radius: 50%;">2</td> <td style="background-color: #f1c40f; color: black; padding: 5px;"><b>Reactivity</b></td> </tr> <tr> <td colspan="2" style="height: 30px;"></td> </tr> </table> </div>	2	<b>Health</b>	1	<b>Flammability</b>	2	<b>Reactivity</b>		
2	<b>Health</b>								
1	<b>Flammability</b>								
2	<b>Reactivity</b>								

Approval Date: 11/29/2000

OSHA PEL for nuisance dust: 15 mg/m<sup>3</sup> (total dust)  
 5 mg/m<sup>3</sup> (respirable dust)  
 ACGIH PEL for nuisance dust: 10 mg/m<sup>3</sup>

<b>Product Number - 1940167</b>	
Revised Sections since Last Version:	Updating formatting and INCI names.

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (0048)42 631 47 24.